










Hollinswood Primary School & Nursery



Calculation policy: Guidance


	EYFS/Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
Addition	<p>Combining two parts to make a whole: part whole model.</p> <p>Starting at the bigger number and counting on- using cubes.</p> <p>Regrouping to make 10 using ten frame.</p>	<p>Adding three single digits.</p> <p>Use of base 10 to combine two numbers.</p>	<p>Column method- regrouping.</p> <p>Using place value counters (up to 3 digits).</p>	<p>Column method- regrouping. (up to 4 digits)</p>	<p>Column method- regrouping.</p> <p>Use of place value counters for adding decimals.</p>	<p>Column method- regrouping.</p> <p>Abstract methods.</p> <p>Place value counters to be used for adding decimal numbers.</p>
Subtraction	<p>Taking away ones</p> <p>Counting back</p> <p>Find the difference</p> <p>Part whole model</p> <p>Make 10 using the ten frame</p>	<p>Counting back</p> <p>Find the difference</p> <p>Part whole model</p> <p>Make 10</p> <p>Use of base 10</p>	<p>Column method with regrouping.</p> <p>(up to 3 digits using place value counters)</p>	<p>Column method with regrouping.</p> <p>(up to 4 digits)</p>	<p>Column method with regrouping.</p> <p>Abstract for whole numbers.</p> <p>Start with place value counters for decimals- with the same amount of decimal places.</p>	<p>Column method with regrouping.</p> <p>Abstract methods.</p> <p>Place value counters for decimals- with different amounts of decimal places.</p>
Multiplication	<p>Recognising and making equal groups.</p> <p>Doubling</p> <p>Counting in multiples</p> <p>Use cubes, Numicon and other objects in the classroom</p>	<p>Arrays- showing commutative multiplication</p>	<p>Arrays</p> <p>2d × 1d using base 10</p>	<p>Column multiplication- introduced with place value counters.</p> <p>(2 and 3 digit multiplied by 1 digit)</p>	<p>Column multiplication</p> <p>Abstract only but might need a repeat of year 4 first (up to 4 digit numbers multiplied by 1 or 2 digits)</p>	<p>Column multiplication</p> <p>Abstract methods (multi-digit up to 4 digits by a 2 digit number)</p>
Division	<p>Sharing objects into groups</p> <p>Division as grouping e.g. I have 12 sweets and put them in groups of 3, how many groups?</p> <p>Use cubes and draw round 3 cubes at a time.</p>	<p>Division as grouping</p> <p>Division within arrays- linking to multiplication</p> <p>Repeated subtraction</p>	<p>Division with a remainder- using lollipop sticks, times tables facts and repeated subtraction.</p> <p>2d divided by 1d using base 10 or place value counters</p>	<p>Division with a remainder</p> <p>Short division (up to 3 digits by 1 digit- concrete and pictorial)</p>	<p>Short division</p> <p>(up to 4 digits by a 1 digit number including remainders)</p>	<p>Short division</p> <p>Long division with place value counters (up to 4 digits by a 2 digit number)</p> <p>Children should exchange into the tenths and hundredths column too</p>

Key language: sum, total, parts and wholes, plus, add, altogether, more, 'is equal to' 'is the same as'.


Concrete	Pictorial	Abstract
<p>Combining two parts to make a whole (use other resources too e.g. eggs, shells, teddy bears, cars).</p> 	<p>Children to represent the cubes using dots or crosses. They could put each part on a part whole model too.</p> 	<p>$4 + 3 = 7$ Four is a part, 3 is a part and the whole is seven.</p> 
<p>Counting on using number lines using cubes or Numicon.</p> 	<p>A bar model which encourages the children to count on, rather than count all.</p> 	<p>The abstract number line: What is 2 more than 4? What is the sum of 2 and 4? What is the total of 4 and 2? $4 + 2$</p> 
<p>Regrouping to make 10; using ten frames and counters/cubes or using Numicon.</p> <p>$6 + 5$</p> 	<p>Children to draw the ten frame and counters/cubes.</p> 	<p>Children to develop an understanding of equality e.g.</p> $6 + \square = 11$ $6 + 5 = 5 + \square$ $6 + 5 = \square + 4$

TO + O using base 10. Continue to develop understanding of partitioning and place value.


$$41 + 8$$



Children to represent the base 10 e.g. lines for tens and dot/crosses for ones.




$$41 + 8$$




$$1 + 8 = 9$$

$$40 + 9 = 49$$




TO + TO using base 10. Continue to develop understanding of partitioning and place value.

$$36 + 25$$



Children to represent the base 10 in a place value chart.



Looking for ways to make 10.

$$36 + 25 =$$

$$30 + 20 = 50$$


$$5 + 5 = 10$$

$$50 + 10 + 1 = 61$$


Formal method:

$$\begin{array}{r} 36 \\ + 25 \\ \hline 61 \\ 1 \end{array}$$

Use of place value counters to add HTO + TO, HTO + HTO etc. When there are 10 ones in the 1s column- we exchange for 1 ten, when there are 10 tens in the 10s column- we exchange for 1 hundred.











Children to represent the counters in a place value chart, circling when they make an exchange.



$$243$$


$$\begin{array}{r} 243 \\ + 368 \\ \hline 611 \\ 1 \quad 1 \end{array}$$

Key language: take away, less than, the difference, subtract, minus, fewer, decrease.


Concrete	Pictorial	Abstract				
<p>Physically taking away and removing objects from a whole (ten frames, Numicon, cubes and other items such as beanbags could be used).</p> <p>$4 - 3 = 1$</p> 	<p>Children to draw the concrete resources they are using and cross out the correct amount. The bar model can also be used.</p> 	<p>$4 - 3 =$</p> <p><input type="text"/> = $4 - 3$</p> <table border="1" data-bbox="1657 442 1859 494"><tr><td>4</td><td></td></tr><tr><td>3</td><td>?</td></tr></table> 	4		3	?
4						
3	?					
<p>Counting back (using number lines or number tracks) children start with 6 and count back 2.</p> <p>$6 - 2 = 4$</p> 	<p>Children to represent what they see pictorially e.g.</p> 	<p>Children to represent the calculation on a number line or number track and show their jumps. Encourage children to use an empty number line</p> 				
<p>Finding the difference (using cubes, Numicon or Cuisenaire rods, other objects can also be used). Calculate the difference between 8 and 5.</p> 	<p>Children to draw the cubes/other concrete objects which they have used or use the bar model to illustrate what they need to calculate.</p> 	<p>Find the difference between 8 and 5.</p> <p>$8 - 5$, the difference is <input type="text"/></p> <p>Children to explore why $9 - 6 = 8 - 5 = 7 - 4$ have the same difference.</p>				

Making 10 using ten frames.

14 - 5



Children to present the ten frame pictorially and discuss what they did to make 10.




Children to show how they can make 10 by partitioning the subtrahend.

$$\begin{array}{r} 14 - 5 = 9 \\ \swarrow \quad \searrow \\ 4 \quad 1 \end{array}$$


$$\begin{array}{l} 14 - 4 = 10 \\ 10 - 1 = 9 \end{array}$$

Column method using base 10.


48 - 7



Children to represent the base 10 pictorially.




Column method or children could count back 7.




Column method using base 10 and having to exchange.


41 - 26



Represent the base 10 pictorially, remembering to show the exchange.




Formal column method. Children must understand that when they have exchanged the 10 they still have 41 because $41 = 30 + 11$.




Column method using place value counters.


234 - 88



Represent the place value counters pictorially; remembering to show what has been exchanged.










Formal column method. Children must understand what has happened when they have crossed out digits.




Calculation policy: multiplication


Key language: double, times, multiplied by, the product of, groups of, lots of, equal groups.

Concrete	Pictorial	Abstract
<p>Repeated grouping/repeated addition 3×4 $4 + 4 + 4$ There are 3 equal groups, with 4 in each group.</p> 	<p>Children to represent the practical resources in a picture and use a bar model.</p> 	<p>$3 \times 4 = 12$ $4 + 4 + 4 = 12$</p>
<p>Number lines to show repeated groups- 3×4</p>  <p>Cuisenaire rods can be used too.</p>	<p>Represent this pictorially alongside a number line e.g.:</p> 	<p>Abstract number line showing three jumps of four. $3 \times 4 = 12$</p> 
<p>Use arrays to illustrate commutativity counters and other objects can also be used. $2 \times 5 = 5 \times 2$</p>  <p>2 lots of 5 5 lots of 2</p>	<p>Children to represent the arrays pictorially</p> 	<p>Children to be able to use an array to write a range of calculations e.g. $10 = 2 \times 5$ $5 \times 2 = 10$ $2 + 2 + 2 + 2 + 2 = 10$ $10 = 5 + 5$</p>

Partition to multiply using Numicon, base 10 or Cuisenaire rods.
 4×15



Children to represent the concrete manipulatives pictorially.




Children to be encouraged to show the steps they have taken.


$$\begin{array}{r} 4 \times 15 \\ \swarrow \searrow \\ 10 \quad 5 \end{array}$$

$$\begin{array}{l} 10 \times 4 = 40 \\ 5 \times 4 = 20 \\ 40 + 20 = 60 \end{array}$$


A number line can also be used



Formal column method with place value counters (base 10 can also be used.) 3×23



Children to represent the counters pictorially.




Children to record what it is they are doing to show understanding.


$$\begin{array}{r} 3 \times 23 \\ \swarrow \searrow \\ 20 \quad 3 \end{array} \quad \begin{array}{l} 3 \times 20 = 60 \\ 3 \times 3 = 9 \\ 60 + 9 = 69 \end{array}$$

$$\begin{array}{r} 23 \\ \times 3 \\ \hline 69 \end{array}$$

Formal column method with place value counters.
 6×23



Children to represent the counters/base 10, pictorially e.g. the image below.



Formal written method

$$\begin{array}{r} 6 \times 23 = \\ 23 \\ \times 6 \\ \hline 138 \\ 1 \quad 1 \end{array}$$









When children start to multiply $3d \times 3d$ and $4d \times 2d$ etc., they should be confident with the abstract:
 To get 744 children have solved 6×124 .
 To get 2480 they have solved 20×124 .

$$\begin{array}{r} 1 \quad 2 \quad 4 \\ \times 2 \quad 6 \\ \hline 7 \quad 4 \quad 4 \\ 2 \quad 4 \quad 8 \quad 0 \\ \hline 3 \quad 2 \quad 2 \quad 4 \\ 1 \quad 1 \end{array}$$

Answer: 3224


Calculation policy: Division

Key language: share, group, divide, divided by, half.


Concrete	Pictorial	Abstract		
<p>Sharing using a range of objects. $6 \div 2$</p> 	<p>Represent the sharing pictorially.</p> 	<p>$6 \div 2 = 3$</p> <table border="1" data-bbox="1467 357 1863 418"><tr><td>3</td><td>3</td></tr></table> <p>Children should also be encouraged to use their 2 times tables facts.</p>	3	3
3	3			
<p>Repeated subtraction using Cuisenaire rods above a ruler. $6 \div 2$</p>  <p>3 groups of 2</p>	<p>Children to represent repeated subtraction pictorially.</p> 	<p>Abstract number line to represent the equal groups that have been subtracted.</p> 		
<p>$2d \div 1d$ with remainders using lollipop sticks. Cuisenaire rods, above a ruler can also be used. $13 \div 4$ Use of lollipop sticks to form wholes- squares are made because we are dividing by 4.</p>  <p>There are 3 whole squares, with 1 left over.</p>	<p>Children to represent the lollipop sticks pictorially.</p>  <p>There are 3 whole squares, with 1 left over.</p>	<p>$13 \div 4 = 3 \text{ remainder } 1$ Children should be encouraged to use their times table facts; they could also represent repeated addition on a number line. '3 groups of 4, with 1 left over'</p> 		

Sharing using place value counters.

$$42 \div 3 = 14$$



Children to represent the place value counters pictorially.



Children to be able to make sense of the place value counters and write calculations to show the process.

$$42 \div 3$$

$$42 = 30 + 12$$


$$30 \div 3 = 10$$

$$12 \div 3 = 4$$

$$10 + 4 = 14$$


Short division using place value counters to group.

$$615 \div 5$$



1. Make 615 with place value counters.
2. How many groups of 5 hundreds can you make with 6 hundred counters?
3. Exchange 1 hundred for 10 tens.
4. How many groups of 5 tens can you make with 11 ten counters?
5. Exchange 1 ten for 10 ones.
6. How many groups of 5 ones can you make with 15 ones?

Represent the place value counters pictorially.




Children to the calculation using the short division scaffold.

$$\begin{array}{r} 123 \\ 5 \overline{) 615} \\ \underline{5} \\ 11 \\ \underline{10} \\ 15 \\ \underline{15} \\ 0 \end{array}$$

Long division using place value counters




$$2544 \div 12$$



We can't group 2 thousands into groups of 12 so will exchange them.




We can group 24 hundreds into groups of 12 which leaves with 1 hundred.

$$\begin{array}{r} 212 \\ 12 \overline{) 2544} \\ \underline{24} \\ 14 \\ \underline{12} \\ 24 \\ \underline{24} \\ 0 \end{array}$$

1000s	100s	10s	1s
			

After exchanging the hundred, we have 14 tens. We can group 12 tens into a group of 12, which leaves 2 tens.

$$\begin{array}{r} 021 \\ 12 \overline{)2544} \\ \underline{24} \\ 14 \\ \underline{12} \\ 2 \end{array}$$


1000s	100s	10s	1s
			

After exchanging the 2 tens, we have 24 ones. We can group 24 ones into 2 group of 12, which leaves no remainder.

$$\begin{array}{r} 0212 \\ 12 \overline{)2544} \\ \underline{24} \\ 14 \\ \underline{12} \\ 24 \\ \underline{24} \\ 0 \end{array}$$

Calculation policy: Conceptual Variation

Conceptual variation; different ways to ask children to solve $21 + 34$



?	
21	34

Word problems:

In year 3, there are 21 children and in year 4, there are 34 children. How many children in total?

$21 + 34 = 55$. Prove it


21

+34

21 + 34 =

 = 21 + 34


Calculate the sum of twenty-one and thirty-four.









Missing digit problems:

10s	1s
 	
 	?
?	5








Conceptual variation; different ways to ask children to solve $391 - 186$

 <table border="1" data-bbox="78 383 593 486"> <tr> <td colspan="2">391</td> </tr> <tr> <td>186</td> <td>?</td> </tr> </table>	391		186	?	<p>Raj spent £391, Timmy spent £186. How much more did Raj spend?</p> <p>Calculate the difference between 391 and 186.</p>	<p>$\square = 391 - 186$</p> $\begin{array}{r} 391 \\ -186 \\ \hline \end{array}$ <p>What is 186 less than 391?</p>	<p>Missing digit calculations</p> $\begin{array}{r} 39\square \\ -\square\square6 \\ \hline \square05 \end{array}$
391							
186	?						

Conceptual variation; different ways to ask children to solve 6×23

<table border="1" data-bbox="112 686 560 734"> <tr> <td>23</td><td>23</td><td>23</td><td>23</td><td>23</td><td>23</td> </tr> </table> <table border="1" data-bbox="112 742 560 782"> <tr> <td colspan="6">?</td> </tr> </table>	23	23	23	23	23	23	?						<p>Mai had to swim 23 lengths, 6 times a week. How many lengths did she swim in one week?</p> <p>With the counters, prove that $6 \times 23 = 138$</p>	<p>Find the product of 6 and 23</p> <p>$6 \times 23 =$</p> <p>$\square = 6 \times 23$</p> $\begin{array}{r} 6 \quad 23 \\ \times 23 \\ \hline \end{array} \quad \begin{array}{r} 6 \quad 23 \\ \times 6 \\ \hline \end{array}$	<p>What is the calculation? What is the product?</p> <table border="1" data-bbox="1556 718 2049 957"> <thead> <tr> <th>100s</th> <th>10s</th> <th>1s</th> </tr> </thead> <tbody> <tr> <td></td> <td>  </td> <td>  </td> </tr> </tbody> </table>	100s	10s	1s			
23	23	23	23	23	23																
?																					
100s	10s	1s																			
																					

Conceptual variation; different ways to ask children to solve $615 \div 5$

<p>Using the part whole model below, how can you divide 615 by 5 without using short division?</p> 	<p>I have £615 and share it equally between 5 bank accounts. How much will be in each account?</p> <p>615 pupils need to be put into 5 groups. How many will be in each group?</p>	<p>$5 \overline{)615}$</p> <p>$615 \div 5 =$</p> <p>$\square = 615 \div 5$</p>	<p>What is the calculation? What is the answer?</p> <table border="1" data-bbox="1545 1212 2105 1500"> <thead> <tr> <th>100s</th> <th>10s</th> <th>1s</th> </tr> </thead> <tbody> <tr> <td>  </td> <td>  </td> <td>  </td> </tr> </tbody> </table>	100s	10s	1s			
100s	10s	1s							
